


# Data Sheet | Rear Screen

## Ducato | Boxer | Jumper

### DESCRIPTION

Semi-assembled rear screen with pleated mesh for installation inside rear door openings of Ducato, Boxer, and Jumper H1 and H2 campervans (from 2007 onwards)



### OPERATION

Manual step-less adjustment. Closing from top to bottom

STANDARD DIMENSIONS (MM)	H1	H2
Overall width	1,505	1,505
Overall height	1,494	1,765

### MATERIAL SPECIFICATIONS

#### Frame

Extruded aluminium 22 x 23 mm (HxD) in black ( $\pm$  RAL9005) or optional dark grey ( $\pm$  RAL7021) powder coat. Including black foam, strips to close the gap between the frame and bodywork of the van.

#### Pull bar

Extruded natural anodized aluminium 28 x 22 mm (HxD)

#### Corner pieces and caps

Colour coordinated injection moulded parts in PA and PA6.6

#### Lock cover

Metal plate to cover the gap in the lock between the floor and the pull bar

**Insect screen mesh**

Single pleat black polyester mesh 1.3 x 1.3 mm (mesh opening), optional FR per standard FMVSS/CMVSS 302 (conditions apply)

**INSTALLATION**

Connect profiles with a screw. Attach clips to profiles with pop rivets. Cut and fit foam to side profiles. On face fixation of the frame on the inside with 6 screws. Fix lock cover plate with 2 screws. The required mounting space between rear doors and furniture is 20 mm

**CLEANING**

A soft damp cloth with mild detergent

**PACKAGING**

Individually or bulk with mounting set

**SPECIAL NOTE**

Combine a rear screen with a genuine Horrex flyscreen door and UCS combi-blinds for a complete insect screen solution

**Disclaimer | The specifications in this data sheet are for information purposes only and may be subject to change without prior notice**

© Horrex 2021

**DRAWING H2 (MM)**